

Veröffentlichungen

C. Probst, A. Welz

Eingriffe am Herzen bei asymptomatischer Karotisstenose

Gefäßchirurgie 01/2017

Hamiko M, Endlich M, Krämer C, **Probst C**, Welz A, Wilhelm K, Schiller W.

Dilatation of Vascular Prostheses in Ascending Aortic Position: A Long-Term

Follow-Up Computed Tomography Study with Comparison of Different Measurement Methods.

Thorac Cardiovasc Surg. 2016 Dec 13.

Hamiko M, Endlich M, Schiller W, Welz A, Nickenig G, **Probst C**

Endovascular and Operative Treatment of the Aortic Arch in a High-Risk Marfan Patient.

Thorac Cardiovasc Surg Rep. 2016 Dec;5(1):68-70.

Kohistani Z, **Probst C**.

Paradoxical Embolus Stuck in a Patent Foramen Ovale.

Thorac Cardiovasc Surg Rep. 2016 Dec;5(1):60-61.

Endlich M, Hamiko M, Gestrich C, **Probst C**, Mellert F, Winkler K, Welz A,

Schiller W. Long-Term Outcome and Quality of Life in Aortic Type A Dissection Survivors.

Thorac Cardiovasc Surg. 2016 Mar;64(2):91-9.

Trapp C, Schiller W, Mellert F, Halbe M, Lorenzen H, Welz A, **Probst C**.

Retrograde Autologous Priming as a Safe and Easy Method to Reduce Hemodilution and Transfusion Requirements during Cardiac Surgery.

Thorac Cardiovasc Surg. 2015 Oct;63(7):628-34.

Endlich M, Schiller W, Mellert F, **Probst C**.

Implantation of a total abdominal mesh plastic ending up in multiple, lethal right heart injuries.

InteractCardiovasc Thorac Surg. 2015 Jul;21(1):135-6.

Gestrich C, Duerr GD, Heinemann JC, Meertz A, **Probst C**, Roell W, Schiller W, Zimmer A, Bindila L, Lutz B, Welz A, Dewald O.

Activation of Endocannabinoid System Is Associated with Persistent Inflammation in Human Aortic Aneurysm.

Biomed Res Int. 2015;2015:456582.

Sterner D, **Probst C**, Mellert F, Schiller W.

Surgical treatment and thoracic endovascular aortic repair in type A aortic dissection in a pregnant patient with Marfan syndrome.

Ann Vasc Surg. 2014 Jul;28(5):1317.e7-10.

Runge V, Pieper CC, Schiller W, Praeger AJ, **Probst C**, Wilhelm KE.

Endovascular repair of an ductus arteriosus aneurysm causing Ortner syndrome.

Vasc Endovascular Surg. 2014 Apr;48(3):271-4

Gestrich C, **Probst C**, Wilhelm K, Schiller W.
A migrated aortic stent graft causing erosive spondylopathy.
Cardiovasc Intervent Radiol. 2013 Dec;36(6):1695-8.

Duerr GD, Heinemann JC, Dunkel S, Zimmer A, Lutz B, Lerner R, Roell W,
Mellert F, **Probst C**, Esmailzadeh B, Welz A, Dewald O.
Myocardial hypertrophy is associated with inflammation and activation of
endocannabinoid system in patients with aortic valve stenosis.
Life Sci. 2013 May 30;92(20-21):976-83.

Baehner T, Guetgemann I, Heinze I, Hoeft A, Knuefermann P, **Probst C**,
Baumgarten G.
A rare case of direct tumor extension to the right ventricle.
Ann Thorac Surg. 2013 Feb;95(2):706-7

Baehner T, Boehm O, **Probst C**, Poetzsch B, Hoeft A, Baumgarten G,
Knuefermann P.
Cardiopulmonary bypass in cardiac surgery.
Anaesthesist. 2012 Sep 14.

Masseli F, Wilhelm K, **Probst C**, Schiller W.
Open antegrade aortic stent implantation after surgical treatment in type A
aortic dissection.
J Thorac Cardiovasc Surg. 2012 Aug 28.

Mellert F, Breuer J, **Probst C**, Welz A, Schiller W.
Combined transapical aortic valve replacement and minimally invasive
direct coronary bypass grafting--a new concept for selected high-risk
patients.
Heart Surg Forum. 2011 Feb;14(1):E61-3.

Meyer C, **Probst C**, Strunk H, Schiller W, Wilhelm K.
Second-generation Amplatzer Vascular Plug (AVP) for the treatment of
subsequent subclavian backflow type II endoleak after TEVAR.
Cardiovasc Intervent Radiol. 2009 Nov;32(6):1264-7.

Probst C, Schiller W, Welz A, Kovacs A.
Intimal flap movement in aortic Stanford type-A dissection visualized by
64-slice computed tomography.
Eur J Cardiothorac Surg. 2008 Aug;34(2):452.

Probst C, Esmailzadeh B, Schiller W, Wilhelm K.
Emergent antegrade endovascular stent placement in a patient with
perforated Stanford B dissection via right axillary artery.
Eur J Cardiothorac Surg. 2008 Jun;33(6):1148-9.

Schiller W, Rudolf H, Welzel CB, Kiderlen MJ, **Probst C**, Dewald O,
Welz A.
Sutureless anastomoses of rabbit carotid arteries with BioGlue.
J Thorac Cardiovasc Surg. 2007 Dec;134(6):1513-8.

Schiller W, Rudolf H, Kiderlen MJ, Welzel CB, Schmitz C, **Probst C**,
Welz A.

Short-term tissue response of lapine carotid artery microanastomoses to BioGlue.

Thorac Cardiovasc Surg. 2007 Aug;55(5):298-303.

Schiller W, Rudolf H, Tiemann K, **Probst C**, Mellert F, Welz A.
Detection of coronary arteries and evaluation of anastomoses with a commercially available 15-MHz, broadband, linear array transducer.
Heart Surg Forum. 2007;10(5):E387-91.

Kovacs A, **Probst C**, Sommer T, Leiss A, Nähle P, Welz A, Schild H, Flacke S.

[CT coronary angiography in patients with atrial fibrillation].

Rofo. 2005 Dec;177(12):1655-62. German.

Probst C, Kovacs A, Schmitz C, Schiller W, Schild H, Welz A.
Quantification of coronary artery stenosis with 16-slice MSCT in patients before CABG surgery: comparison to standard invasive coronary angiography.

Heart Surg Forum. 2005;8(1):E42-6.

Klein M, Mahoney CB, **Probst C**, Schulte HD, Gams E.

Blood product use during routine open heart surgery: the impact of the centrifugal pump.

Artif Organs. 2001 Apr;25(4):300-5.

Wahl W, **Probst C**, Schlick T, Dutkowski P, Junginger T.

Pulmonary complications following esophageal surgery. Significance of aspiration.

Zentralbl Chir. 1999;124(6):483-8. German.